KERN OBT 102



The modern compound microscope for teaching in your class room



Category	
Brand	Optics
Product categoriy	Microscope
Product group	Compound microscope
Product family	OBT-1
Construction	
Dimension (W×D×H)	195×147×325 mm
Optical system	Finite
Tube type	Monocular
Tube angle of inclination	45°
Tube 360° rotation	✓
Contrasting methods	Bright field

-	-
Standard objectives	4×
	10×
	40×
Lens quality	achromatic
Nosepiece screw-in locations	4
Eyepieces fixed	1

Ocular

Ocular type	Eyepiece WF 10 x / Ø 18mm
Ocular field width	WF
Eye point	Standard
Ocular magnifications	10 x
Ocular visual field	18 mm
Ocular diameter	23,2 mm

Objective

Objectives - Details

Objective Achromatic 10 x / 0,25

	Objective Achromatic 4
	x / 0,1 Objective Achromatic 40
	x / 0,65 spring
Objectives magnifications	4 x / 10 x / 40 x
Illumination	
Illuminance	Transmitted light
Illumination type transmitted light	LED
Illumination intensity transmitted light	1 W
Illumination dimmable	Transmitted light
Filter possible	1
Aperture diaphragm	1
Focussing	
Field of view [Min]	0,45 mm
Field of view [Max]	4,5 mm
Fine drive minimum	0,0025 mm
Focusing mechanism	coaxial coarse and fine
	drive
Power Supply	
	Power supply & battery
Supplied power supply	function (battery not included)
Plug-in power supply type	Power adapter
Plug-in power supply / adapter for	FUDO
countries - included with the delivery	EURO
	AUS
Plug-in power supply / adapter for	UK
countries - optional	US
Input voltage power supply (СН
Input voltage power supply / power [Max]	100 - 240 V
Input voltage device / power [Max]	5 V 1000 mA
Battery connection	Pad + Spring
Environmental conditions	
Storage temperature [Min]	-5 °C
Storage temperature [Max]	40 °C
Approval	
CE mark	1
Packing & Shipping	
Delivery time	1 d
	i u

KERN OBT 102



The modern compound microscope for teaching in your class room

Dimensions packaging (W×D×H)	400×280×195 mm
Net weight	2,755 kg
Shipping method	Parcel service
Net weight approx.	2,8 kg
Gross weight approx.	3,4 kg
Shipping weight	4,4 kg

Pictograms

STANDARD



OPTION

