KERN OZL 474



The flexible, affordable all-rounder with flexible incident illumination for training workshops, inspection authorities and laboratories



Category

Brand	Optics
Product categoriy	Microscope
Product group	Stereo microscope
Product family	OZL-47

Construction

Dimension (W×D×H)	300×240×420 mm
Optical system	Greenough
Tube type	Trinocular
Tube angle of inclination	45°
Tube 360° rotation	1
Light distribution	100:0
Contrasting methods	Bright field
Eyepieces fixed	1
Interpupillary distance [Min]	55 mm
Interpupillary distance [Max]	75 mm
Diopter adjustment	both-sided
Diopter adjustment [Min]	-5
Diopter adjustment [Max]	5

Ocular

Ocular type	Eyepiece HWF 10x / Ø 20mm High Eye Point
Ocular field width	HWF
Eye point	High Eye Point
Ocular magnifications	10 x
Ocular visual field	20 mm
Ocular diameter	30 mm

0,7 x - 4,5 x

Objective

Objectives magnifications

Illumination	
Illuminance	Reflected light
Illumination type incident light	LED
Illumination intensity incident light	3 W
Illumination dimmable	Incident light
Focussing	
Field of view [Min]	4,4 mm
Field of view [Max]	28,6 mm
Standard total magnification [Min]	7 x
Standard total magnification [Max]	45 x
Zoom [Min]	0,7 x
Zoom [Max]	4,5 x
Torque regulation	\checkmark
Working distance	105 mm
Magnification ratio	6,4:1
Focusing mechanism	coarse drive
Stereomicroscope stand	
Stand type	pillar
Diameter mounting microscope head (Ø)	76 mm
Power Supply	
Plug-in power supply / adapter for countries - optional	UK
Environmental conditions	
Storage temperature [Min]	-5 °C
Storage temperature [Max]	40 °C
Approval	
CE mark	1
Packing & Shipping	
Delivery time	1 d
Dimensions packaging (W×D×H)	452×414×290 mm
Net weight	4,085 kg
Shipping method	Parcel service
Net weight approx.	4,2 kg
Gross weight approx.	7 kg
Shipping weight	10,9 kg

KERN OZL 474



The flexible, affordable all-rounder with flexible incident illumination for training workshops, inspection authorities and laboratories

Pictograms

STANDARD

